SPECIAL POLYMER EXTRUDED SLEEVINGS

SLEEVINGS

ELASTUB® GSTI70

TPE sleeving 75 Shore A 125°C, black, fire-retardant



Description

SANTOPRENE® type polymer extruded sleeving

Applications

Mechanical and electrical protection for cable harnesses

Fields

Automobile, industrial cabling

General characteristics

• Fire-retardant

Resistant to high temperatures
 Excellent weather resistance
 Recyclable

Technical data

• Standard: Approved material UL94 V0 thickness ≥ 1.5 mm, UL94 V2 thickness 1 mm • Oxygen index: 26 % as per ISO 45089-2 • Temperature of use: -40°C to +125°C • Dielectric rigidity: 18 Kv/mm • Nominal hardness: 75 Shore A as per ISO R 868 • Nominal density: 1.22 as per ISO 1183 • Tensile strength: >8.7 Mpa as per ISO 37 • Elongation at break: >520 % as per ISO 37

Options (contact us)

Other diameters

- Other solid colours
 - Cut to lengths
 - Other packaging

Nominal internal diameter	Nominal outside diameter	Nominal thickness	Nominal linear weight	Standard packaging Roll
(mm)	(mm)	(mm)	(g/m)	(m)
2	3	0,5	5	500
3	4	0,5	7	500
4	5	0,5	9	500
5	6	0,5	11	500
6	7	0,5	12	400
7	8	0,5	14	250
8	9	0,5	16	250
9	10	0,5	18	200
10	12	1	42	150
11	13	1	46	100
12	14	1	50	100
13	15	1	54	100
14	16	1	57	50
15	17	1	61	50
16	18	1	65	50
18	20	1	73	50
20	22	1	80	50

Standard tolerances: refer to pages 115 to 118.

Variant

ELASTUB® GSTI80 TPE sleeving 86 Shore A / 125°C black



Zone Industrielle 63600 AMBERT - France Tel. + 33 (0)4 **73 82 44 36** e-mail: plastub@omerin.com

www.plastub.fr

The information given in this technical data sheet is indicative and subject to change without prior notice. As the conditions of use and the environment in which the product is used cannot be fully covered in our design work, PLASTUB shall not assume liability for any incidents in the event of inappropriate use and/or not carried out according to best practices and applicable standards.

To ensure optimal use of our products, we recommend full tests in real-life situations.

To this end, our sales department is on hand to supply samples and/or to examine the conditions of comprehensive testing in our laboratories.