

## **Applications**

Leaktight seals, aesthetics, mechanical protection, production

## **Fields**

Miscellaneous industries, saddlery, leatherwork

## **PLASFORM®**

### **THERMOPLASTIC PROFILES**

#### **PVC PP PE profiles**

##### **Description**

Polyvinyl chloride, polypropylene or polyethylene extruded profiles

##### **General characteristics**

- Flexible, economic, versatile
- Wide range of colours
- Good resistance to acids, bases and detergents
- Recyclable

### **SPECIAL POLYMER PROFILES**

#### **TPE profiles**

##### **Description**

EPDM polymer extruded profiles

##### **General characteristics**

- Excellent weather resistance
- Very good chemical resistance
- Characteristics similar to many vulcanised rubbers

## **SILFORM®**

### **SILICONE ELASTOMER PROFILES**

#### **Silicone profiles**

##### **Description**

Silicone elastomer extruded profiles

##### **General characteristics**

- Flexible and elastic
- Food grade
- Resistant to high temperatures
- Can be sterilised in autoclave
- Chemically inert and biologically neutral
- Good resistance to dynamic fatigue
- Water-repellent and anti-adhesive
- Excellent weather resistance
- Good resistance to aggressive fluids, alcohols and acids
- Low deformation under compression and traction



Zone Industrielle 63600 AMBERT - France

Tel. + 33 (0)4 73 82 44 36

e-mail: [plastub@omerin.com](mailto:plastub@omerin.com)

[www.plastub.fr](http://www.plastub.fr)

*The information given in this technical data sheet is indicative and subject to change without prior notice. As the conditions of use and the environment in which the product is used cannot be fully covered in our design work, PLASTUB shall not assume liability for any incidents in the event of inappropriate use and/or not carried out according to best practices and applicable standards.*

*To ensure optimal use of our products, we recommend full tests in real-life situations.*


*To this end, our sales department is on hand to supply samples and/or to examine the conditions of comprehensive testing in our laboratories.*

*© Registered trademark of PLASTUB. Drawings and photos are not contractual. Reproduction is prohibited without the prior agreement of PLASTUB.*


**SQUARE / RECTANGULAR PROFILES PRODUCTION EXAMPLES**

**Applications**


Leaktight seals, seals, shock absorbers




**PLASFORM®  
PVC22 PFN 71**



**SILFORM®  
SI60 PFN C6**



**SILFORM®  
SI60 PFN C20**




**SILFORM®  
SI70 PFN 78**


**ORNAMENTAL PROFILES PRODUCTION EXAMPLES**

**Applications**


Cover parts, screw caps, staple caps



**PLASFORM®  
PVC36 PFN 73**



**PLASFORM®  
PVC22 PFN 70**




**PLASFORM®  
PVC33 PFN 118**


**BI-TUBE PROFILES PRODUCTION EXAMPLES**

**Applications**


Combined transport of air and fluids



**PLASFORM®  
PVC22 PFN 85**



**PLASFORM®  
PVC22 PFN 71**



**PLASFORM®  
PVC23 PFN 88**



Zone Industrielle 63600 AMBERT - France  
Tel. + 33 (0)4 73 82 44 36  
e-mail: [plastub@omerin.com](mailto:plastub@omerin.com)

[www.plastub.fr](http://www.plastub.fr)

The information given in this technical data sheet is indicative and subject to change without prior notice. As the conditions of use and the environment in which the product is used cannot be fully covered in our design work, PLASTUB shall not assume liability for any incidents in the event of inappropriate use and/or not carried out according to best practices and applicable standards.

To ensure optimal use of our products, we recommend full tests in real-life situations.


To this end, our sales department is on hand to supply samples and/or to examine the conditions of comprehensive testing in our laboratories.

© Registered trademark of PLASTUB. Drawings and photos are not contractual. Reproduction is prohibited without the prior agreement of PLASTUB.


U-SHAPE PROFILES PRODUCTION EXAMPLES

Applications


Mechanical protection of sheet metal edges, leaktight seals for glazing units




**PLASFORM®  
PVC36 PFN 94**




**PLASFORM®  
PVC36 PFN 93**



**SILFORM®  
SI70 PFN 80**



**PLASFORM®  
PVC36 PFN 95**




**SILFORM®  
SI70 PFN 109**


PIPING PROFILES PRODUCTION EXAMPLES

Applications


- Sewable piping + piping cord for leatherwork
- Sewable or weldable piping + piping cord for blind makers




**PLASFORM®  
PVC23 PFN 84**



**PLASFORM®  
PVC23 PFN 89**



**PLASFORM®  
PVC23 PFN 98**



**PLASFORM®  
GR PFN 76**



Zone Industrielle 63600 AMBERT - France  
Tel. + 33 (0)4 73 82 44 36  
e-mail: [plastub@omerin.com](mailto:plastub@omerin.com)

[www.plastub.fr](http://www.plastub.fr)

The information given in this technical data sheet is indicative and subject to change without prior notice. As the conditions of use and the environment in which the product is used cannot be fully covered in our design work, PLASTUB shall not assume liability for any incidents in the event of inappropriate use and/or not carried out according to best practices and applicable standards.

To ensure optimal use of our products, we recommend full tests in real-life situations.


To this end, our sales department is on hand to supply samples and/or to examine the conditions of comprehensive testing in our laboratories.

© Registered trademark of PLASTUB. Drawings and photos are not contractual. Reproduction is prohibited without the prior agreement of PLASTUB.


**FLAT STRIP PROFILES PRODUCTION EXAMPLES**

**Applications**


Clip-on solution for POS advertising, latex-free tourniquets




**SILFORM®  
SITEC PFN 75**




**PLASFORM®  
PVC44 PFN 115**



**SILFORM®  
SI70 PFN 111**



**SILFORM®  
SI70 PFN 106**




**PLASFORM®  
ST45 PFN 216**


**MISCELLANEOUS PROFILES PRODUCTION EXAMPLES**

**Applications**


Leaktight seals, tank seals, expansion seals etc.




**PLASFORM®  
PVC33 PFN 74**




**SILFORM®  
SI70 PFN 77**




**SILFORM®  
SITEC PFN 104**




**SILFORM®  
SI60 PFN 114**




**PLASFORM®  
PVC23 PFN 99**




**SILFORM®  
SI60 PFN 205**



**SILFORM®  
SI60 PFN 206**



**PLASFORM®  
PVC21 PFN 96**



**SILFORM®  
SI70 PFN 97**



The information given in this technical data sheet is indicative and subject to change without prior notice. As the conditions of use and the environment in which the product is used cannot be fully covered in our design work, PLASTUB shall not assume liability for any incidents in the event of inappropriate use and/or not carried out according to best practices and applicable standards.

To ensure optimal use of our products, we recommend full tests in real-life situations.

To this end, our sales department is on hand to supply samples and/or to examine the conditions of comprehensive testing in our laboratories.

© Registered trademark of PLASTUB. Drawings and photos are not contractual. Reproduction is prohibited without the prior agreement of PLASTUB.

Zone Industrielle 63600 AMBERT - France

Tel. + 33 (0)4 73 82 44 36

e-mail: [plastub@omerin.com](mailto:plastub@omerin.com)

[www.plastub.fr](http://www.plastub.fr)